



ETRONIT I, IR sheets
ETRONIT II sheets
ETRONIT IIQ, IIQR, IIQR XX sheets
ETRONIT IIQ S, IIQ S AL sheets
ETRONIT SB, 201 M, 201 M S sheets

No.: 5

SAFETY DATA SHEET

Safety Data Sheet according to (EC) No. 1907/2006 (REACH).

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier:

See above

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Industrial laminate.

1.3. Details of the supplier of the safety data sheet:

Elektro-Isola A/S Tel: + 45 76 42 82 00

Grønlandsvej 197 Fax + 45 75 82 73 36

DK-7100 Vejle www.elektro-isola.com

Denmark E-mail: ei@elektro-isola.dk

Responsible person for the safety data sheet (e-mail): ei@elektro-isola.dk

1.4. Emergency telephone number:

+45 82 12 12 12 (24-hour service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture:

According to Directive 1999/45/EC and Regulation 1272/2008 (CLP) the industrial laminate is not a chemical product and therefore does not require a classification.

This Safety Data Sheet is intended as a service to customers/users of the laminate.

2.2. Label elements:

None.

2.3. Other hazards: The material does not constitute any health risk, but careless handling may cause skin abrasion.

Dust from machining (e.g. milling, drilling, sawing, planing, grinding/polishing) may constitute minor health risks - see SECTION 8.

PBT/vPvB: No ingredients are PBT/vPvB, according to the criteria in REACH Annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures:

Product description: Cured phenol-formaldehyde resin on paper substrate.

Components contributing to the hazard:

May contain minute amounts of: Phenols e.g. (CAS No.: 108-95-2, EINECS: 203-632-7)

Formaldehyde (CAS No.: 50-00-0, EINECS: 200-001-8)

SECTION 4: First aid measures (if user is exposed to dust from machining)

4.1. Description of first aid measures:

Symptomatic treatment.

Inhalation: Move user to fresh air. Keep under surveillance. If needed: Seek medical advice.

Skin contact: Remove clothes contaminated with dust. First rinse the skin with plenty of water and then wash the skin with soap and water.

Eye contact: Flush eyes well with copious quantities of water or normal saline. If irritation persists: Seek medical advice.

Ingestion: Not relevant.

SECTION 4: First aid measures (if user is exposed to dust from machining) (continued)

4.2. Most important symptoms and effects, both acute and delayed:

Inhalation of large amounts of machining dust may cause acute respiratory problems such as asthma. Dust may irritate the eyes. Prolonged or frequent exposure may cause chronic respiratory problems.

4.3. Indication of any immediate medical attention and special treatment needed:

Show this Safety Data Sheet to a physician or emergency ward.

SECTION 5: Firefighting measures

5.1. Extinguishing media:

Water preferred, foam may be used.

5.2. Special hazards arising from the substance or mixture:

Do not breathe the smoke fumes: Carbon monoxide, alkylphenols, alkylbenzenes.

5.3. Advice for firefighters:

When entering burning area: Wear self contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures:

Not relevant.

6.2. Environmental precautions:

Not relevant.

6.3. Methods and material for containment and cleaning up:

Dampen dust with water. Then transfer material to a suitable container.

6.4. Reference to other sections:

Not relevant.

SECTION 7: Handling and storage

7.1. Precautions for safe handling:

See SECTION 8.

7.2. Conditions for safe storage, including any incompatibilities:

Clean and dry.

7.3. Specific end use(s):

See SECTION 1

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters:

Occupational exposure limits: Comply with national and local regulations for dust exposure.

DNEL/PNEC: No CSR.

8.2. Exposure controls:

Maintain sufficient local exhaust and ventilation when machining. Ventilated air should not be recycled.

Personal protective equipment:

Inhalation: If the local exhaust ventilation is insufficient when machining: Use an approved mask with a particle filter:

Type P2. The filter has a limited lifetime and must be changed. Read the instruction.

Skin: Gloves: Normally not required but may prevent skin abrasion during machining.

Eyes: When machining, protect eyes from dust and flying chips with safety goggles.

Environmental exposure controls: None particular.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties:

Appearance: Solid. Dark brown, black or yellow sheets

Odour: Slight phenolic odour

Odour threshold: No available data

pH: Not applicable

Melting point / freezing point (°C): Not applicable

Initial boiling point and boiling range (°C): Not applicable

Decomposition temperature (°C): See SECTION 10

Flash point (°C): > 200

SECTION 9: Physical and chemical properties (continued)

| | |
|---|-----------------------------------|
| Evaporation rate: | Not applicable |
| Flammability (solid, gas): | Not applicable |
| Upper/lower flammability or explosive limits (vol-%): | Not applicable |
| Vapour pressure (bar, 20°C): | Not applicable |
| Vapour density (air=1): | Not applicable |
| Relative density (g/ml, 20°C): | 1.3 – 1.4 |
| Solubility: | Not applicable |
| Partition coefficient: n-octanol/water, Log K _{ow} : | Not soluble in n-octanol or water |
| Auto-ignition temperature (°C): | > 200 |
| Viscosity: | Not applicable |
| Explosive properties: | Not applicable |
| Oxidising properties: | Not applicable |
| 9.2. Other information: | |
| None relevant | |

SECTION 10: Stability and reactivity

10.1. Reactivity:

Chemically inert. Does not attack other materials.

10.2. Chemical stability:

See SECTION 10.1.

10.3. Possibility of hazardous reactions:

See SECTION 10.1.

10.4. Conditions to avoid:

Sensitivity to mechanical impact: Not sensitive.

Sensitivity to static discharge: Not sensitive. May build up static electricity during handling, depending upon the atmospheric conditions.

Dust explosion hazard: Machining dust may cause dust explosion when not prevented by proper precautions as e.g. exhaustion of dust and grounding of equipment.

Thermal decomposition: Will decompose as a function of temperature and time at temperatures above 120°C.

10.5. Incompatible materials:

None.

10.6. Hazardous decomposition products:

See SECTION 5.

SECTION 11: Toxicological information (when machining)

11.1. Information on toxicological effects:

Not relevant for industrial laminate.

Information on likely routes of exposure: May be absorbed by inhalation (lungs).

Synergistic products: Tobacco smoke may enhance the effects of inhalation of machining dust.

Symptoms:

Inhalation: Inhalation of large amounts of machining dust may cause acute respiratory problems such as asthma.

Skin: None.

Eyes: Dust may irritate.

Ingestion: Not relevant.

Chronic effects: Prolonged or frequent exposure may cause chronic respiratory problems if not prevented by personal protective measures and/or engineering controls such as local exhaust. When machining the laminate, small amounts formaldehyde can be released.

Sensitization to product: Formaldehyde released by machining may cause sensitization (allergy).

Carcinogenicity of product: Formaldehyde is classified as carcinogenic to humans by IARC (Group 1).

SECTION 12: Ecological information

12.1. Toxicity:

Not applicable for industrial laminate

12.2. Persistence and degradability:

Not relevant.

12.3. Bioaccumulative potential:

Not relevant.

SECTION 12: Ecological information (continued)

12.4. Mobility in soil:

Not relevant.

12.5. Results of PBT and vPvB assessment:

Not relevant.

12.6. Other adverse effects:

Not relevant.

SECTION 13: Disposal considerations

13.1. Waste treatment methods:

Comply with national and local regulations for inert waste. Recommended means of disposal are incineration or landfill.
EWC-Code: 17 02 03 (Laminate)

SECTION 14: Transport information

Not dangerous goods according to ADR/RID.

14.1. UN-no.: None.

14.2. UN proper shipping name: None.

14.3. Transport hazard class(es): None.

14.4. Packing group: None.

14.5. Environmental hazards: None.

14.6. Special precautions for user: None.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

The materials fulfil the directives:

| | |
|--------------------------|--|
| 2000/53/EC | End-of life vehicles. |
| 850/2004/EC | On persistent organic pollutants (including PFOS (perfluorooctane sulfonates) and pentabromodiphenyl ether) |
| 1907/2006/EC, annex XVII | Concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), (including octabromodiphenyl ether) |
| 2011/65/EC | On the restriction of the use of certain hazardous substances in electrical and electronic equipment (ROHS), including decaBDE. |

Restriction on application:

Not intended for contact with foodstuffs or animal feed.

Not intended for prolonged skin contact.

Not intended for use in toys for children under 3 years of age.

Not intended for prolonged use at temperatures above 120°C.

15.2. Chemical Safety Assessment:

No CSR

SECTION 16: Other information

Abbreviations:

CMR = Carcinogenicity, mutagenicity og reproductive toxicity.

CSR = Chemical Safety Report

DNEL = Derived No-Effect Level

EC₅₀ = Effect Concentration 50 %

ECB = European Chemicals Bureau.

ECHA = European Chemicals Agency

FW = Fresh Water

LC₅₀ = Lethal Concentration 50 %

LD₅₀ = Lethal Dose 50 %

PBT = Persistent, Bioaccumulative, Toxic

PNEC = Predicted No-Effect Concentration

vPvB = very Persistent, very Bioaccumulative

Special references used:

Blazsó, M. & Tóth, T., Journal of Analytical and Applied Pyrolysis, 10, (1986), p. 41-50.

IARC = International Agency for Research on Cancer

SECTION 16: Other information (continued)

Training advice:

No special training is required. However, the user should be well instructed in the execution of the task, be familiar with this Safety Data Sheet and have normal training in the use of personal protective equipment.

Other information:

None.

Changes since the previous edition:

1-16 (according to 453/2010)

Note:

Information contained herein, while accurate to the best of our knowledge, is intended as a health and safety guide and should not be construed as a warranty for any specific properties. However, as conditions of handling and use of this material are beyond our control, we can accept no liability for damages incurred by the use of this material.

It is the responsibility of the user to comply with all applicable local and national laws and regulations, and nothing contained herein is to be construed as a recommendation for use in violation of any patents or of applicable laws or regulations.

Prepared by: Alttox a/s – Tonsbakken 16-18 – DK-2740 Skovlunde - Phone +45 - 38 34 77 98 - Fax: +45 - 38 34 77 99 / PW - Quality control: PH